




AEC ITALY CATALOG 2023



WWW.AECUPS.COM



BATTERY CABINET BB5



GENERAL CHARACTERISTICS

DIMENSIONS : 460 x 800 x 1400mm

BATTERY VRLA 12V : 9Ah-24Ah-40Ah

2 or 3 POLES DC FUSES: 32A-63A-100A-125A

BATTERY CONFIGURATIONS

UPS 2-POLES (POSITIVE - NEGATIVE) :

From 82 up to 128 battery 12V 9Ah

From 16 up to 38 battery 12V 24-26Ah


From 16 up to 38 battery 12V 40Ah

UPS 3-POLES (POSITIVE - NEUTRAL - NEGATIVE) :

From 82 up to 128 battery 12V 9Ah

From 16 up to 38 battery 12V 24-26Ah

From 16 up to 38 battery 12V 40Ah



BATTERY CABINET	
MODELS	BB5
TECHNICAL SPECIFICATIONS	
DIMENSIONS	460 x 800 x 1400 mm
WEIGHT (EMPTY)	110 Kg
N° OF SHELVES	4
MAX N° OF BATTERY	38 x 12V 40Ah or 120 x 12V 9Ah
IP PROTECTION	IP 20 (Optional 21-44)
DC FUSES	32A - 63A - 100A - 125A
CABLE ENTRANCE	RIGHT SIDE TOP AND BOTTOM
COLOUR	RAL9005
UPS POWER COMPATIBILITY	from 1 to 60kVA
STANDARDS	
CE - EC	IEC-EN 62040-1



CONTACTS

Main office

+39 02 94158991

Mobile\WhatsApp

+39 3715547475

Web & Email

www.aecups.com

info@aecups.com

Head office address

Via Nerviano 55, 20045

Lainate, MI

Italia