



AEC ITALY CATALOG 2023





BATTERY CABINET BB6



GENERAL CHARACTERISTICS

DIMENSIONS : 800 x 800 x 1400mm

BATTERY VRLA 12V : 60Ah

2 or 3 POLES DC FUSES: 63A-100A-125-160A


BATTERY CONFIGURATIONS

UPS 2-POLES (POSITIVE - NEGATIVE) :

From 20 up to 40 battery 12V 60Ah

UPS 3-POLES (POSITIVE - NEUTRAL - NEGATIVE) :

From 20 up to 40 battery 12V 60Ah



BATTERY CABINET	
MODELS	BB6
TECHNICAL SPECIFICATIONS	
DIMENSIONS	800 x 800 x 1400 mm
WEIGHT (EMPTY)	140 Kg
N° OF SHELVES	3
MAX N° OF BATTERY	36 x 12V 60Ah
IP PROTECTION	IP 20 (Optional 21-44)
DC FUSES	63A - 100A - 125A - 160A
CABLE ENTRANCE	LEFT SIDE TOP AND BOTTOM
COLOUR	RAL9005
UPS POWER COMPATIBILITY	from 1 to 100kVA
STANDARDS	
CE - EC	IEC-EN 62040-1



CONTACTS

Main office

+39 02 94158991

Mobile\WhatsApp

+39 3715547475

Web & Email

www.aecups.com

info@aecups.com

Head office address

Via Nerviano 55, 20045

Lainate, MI

Italia