



EU - Quality Assurance Notification

for approval of the quality assurance of the production process

- (1)
- (2) Equipment and protective systems intended for use in potentially explosive atmospheres – Directive 2014/34/EU
- (3) Certificate number: **EPS 26 ATEX Q 065** Rev. 0
- | | |
|---|---|
| (4) Manufacturer: Jumo GmbH & Co. KG | Manufacture location: JUMO GmbH & Co.KG - Werk 3 |
| (5) Address: Moritz-Juchheim-Straße 1
36039 Fulda
Germany | Hermann-Muth-Straße 2
36039 Fulda
Germany

JUMO GmbH & Co. KG-Sensilo

Böcklerstraße 12
36041 Fulda
Germany |
- (6) Product Category: Electrical equipment and components
- (7) Protection concept: i, d, e, n, t, h
- (8) Bureau Veritas Consumer Products Services Germany GmbH, notified body No. 2004 in accordance with Article 21 of the Council Directive 2014/34/EU of 2014-02-26, certifies that the manufacturer maintains a quality assurance for the production process which conforms with Annex IV of the Directive.
- (9) This certificate is based upon the Audit Report No. 26TH0021_A1, issued on 2026-03-13 and is valid until 2029-04-03.
- The certificate can be withdrawn if the manufacturer does no longer meet the requirements of Directive 2014/34/EU Annex IV.
- The results of the quality assurance periodical surveillance or re-assessment will become part of the certificate.
- The manufacturer is obliged to notify Bureau Veritas Consumer Products Services Germany GmbH of any changes to their quality system, ISO 9001 registration or other aspects upon which this Notification is granted.
- (10) According to article 16 (3) of the Directive 2014/34/EU, the CE-marking shall be followed by the identification number 2004 identifying the notified body involved in the production control stage.



Certification department of explosion protection

Tuerkheim, 2026-03-17

U. Feike

Certificates without signature and seal are void. This certificate is allowed to be distributed only if not modified. Extracts or modifications must be authorized by Bureau Veritas Consumer Products Services Germany GmbH.

(11)

Annex

(12) Certificate number: **EPS 26 ATEX Q 065**

Rev. 0

(13) List of the EU-type examination certificates covered by the audit:

The production associated with the items listed on this schedule has been assessed by Bureau Veritas Consumer Products Services Germany GmbH and found to be compliant with Annex IV of the Directive. Only items listed on this schedule are permitted to carry Bureau Veritas Consumer Products Services Germany GmbH number 2004 adjacent to the manufacturer's CE mark.

Unit	Product	Protection mode	Certificate
1	JUMO dTRANS p20 DELTA Differential pressure transmitter	ia	SEV 09 ATEX 0138 X
2	JUMO dTRANS p20 DELTA Ex d Differential pressure transmitter with flameproof enclosure	d, tb	SEV 10 ATEX 0127 X
3	JUMO dTRANS p20 Process Pressure transmitter	ia	SEV 09 ATEX 0138 X
4	JUMO exTHERM S200	ia	EPS 22 ATEX 1 352 X
5	JUMO dTRANS p02 DELTA Pressure transmitter	ia	PTB 98 ATEX 2194
6	JUMO dTRANS p02 Pressure transmitter	ia	PTB 98 ATEX 2194
7	JUMO MAERA S29 SW Level probe made of titanium	ib	SEV 17 ATEX 0136 X
8	JUMO MIDAS S21 Ex Pressure transmitter	ib	SEV 09 ATEX 0101 X
9	JUMO MIDAS S22 Ex Miniature pressure transmitter for Ex areas	ib	SEV 21 ATEX 0537 X
10	JUMO dTRANS p33 Pressure transmitter and level probe for Ex areas	ia	SEV 09 ATEX 0140 X
11	JUMO NESOS R01 LS Float switch in miniature form	h, ia	SEV 18 ATEX 0134 X
12	JUMO NESOS R01 LS Float switch in miniature form	db, h, tb	SEV 18 ATEX 0133 X
13	JUMO NESOS R02 LS Standard version of float switch	h, ia	SEV 18 ATEX 0134 X
14	JUMO NESOS R02 LS Standard version of float switch	db, h, tb	SEV 18 ATEX 0133 X
15	JUMO NESOS R04 LS Float switch in ben version	h, ia	SEV 18 ATEX 0134 X
16	JUMO NESOS R04 LS Float switch in curved version	db, h, tb	SEV 18 ATEX 0133 X
17	JUMO NESOS R20 LT Level transmitter via float	h, ia	SEV 18 ATEX 1 0134 X
18	JUMO NESOS R20 LT Level transmitter via float	db, h, tb	SEV 18 ATEX 0133 X
19	JUMO NESOS R40 LSH Float switch in horizontal design	h, ia	SEV 18 ATEX 0134 X

Certificate number: **EPS 23 ATEX Q 057**

Rev. 0

20	JUMO NESOS R40 SLH Float switch in horizontal design	db, h, tb	SEV 18 ATEX 0133 X
21	JUMO exTHERM-AT Typ 605055 Explosion-proof surface-mounted thermostat for zones 1, 2, 21 and 22	db, eb, tb, e, d, tb, h	EPS 11 ATEX 1354
22	exTHERM	db, e, d, tb, b	EPS 11 ATEX 1338 U
23	JUMO exTHERM-DR Two-state controller with ATEX- and IECEx- approval	ia	TÜV 15 ATEX 163874X
24	JUMO safetyM STB/STW Safety temperature limiter, safety temperature monitor according to DIN EN 14597	ia, h, eb, ta, tb, db, b	TÜV 11 ATEX 556139 X
25	LOGOSCREENnt	pxb	SEV 08 ATEX 0155 U
26	Logoscreen fd	pxb	SEV 08 ATEX 0155 U
27	JUMO dTRANS T01 PCP Ex	ia	ZELM 99 ATEX 0018 X
28	JUMO dTRANS T01 HART Ex	ia	PTB 01 ATEX 2124
29	JUMO dTRANS T02 Programmable 4-wire Transmitter with isolation of the standard signal for mounting on DIN rail 35mm x 7.5mm to EN 60715	ia	PTB 01 ATEX 2149
30	JUMO dTRANS T06 Ex Multifunctional four-wire transmitter in mounting rail case with SIL and Ex approval	ia, h, eb, ta, tb	TÜV 19 ATEX 244073 X
31	JUMO dTRANS T07 B Ex /T Ex	ia, ib	EPS 17 ATEX 1129 X
32	Display B07 JUMO dTRANS T07 B	ia	EPS 18 ATEX 1113 X
33	Ex-i feed and input isolation amplifier	ia, nA	BVS 12 ATEX E 090 X
34	Ex-i isolator amplifier	ia, ec	IBExU 20 ATEX 1107 X
35	JUMO PROCESStemp	ia, d, tb	SEV 15 ATEX 0118
36	JUMO Wtrans T RTD Temperature Probe with Wireless Data Transmission	ia	TÜV 16 ATEX 177609 X
37	JUMO ZELOS C01 LS	ia, ta/tc	SEV 22 ATEX 0634 X
38	JUMO exTHERM-DR	eb, tb	SEV 17 ATEX 0177 X
39	JUMO safetyM STEB/STW (set 2)	eb, db, tb, h	SEV 17 ATEX 0161 X
40	JUMO TAROS H48 Ex	ib	SEV 25 ATEX 0764 X

Certification department of explosion protection

Tuerkheim, 2026-03-17

