

DIMENSIONAL DRAWING




⚠CAUTION

USE CAUTION WHEN REMOVING THE KNOCKOUTS ON THE ENCLOSURE. A SMALL BLADED SCREWDRIVER TAPPED FIRMLY INTO THE KNOCKOUT RECESS IS ALL THAT IS NECESSARY. DO NOT DRIVE THE SCREWDRIVER BACK INTO THE ENCLOSURE OR IT MAY STRIKE THE CIRCUIT BOARD AND CAUSE COMPONENT DAMAGE.


ELECTRICAL CONNECTIONS






CONFIGURATION OPTIONS

Optional 12V CD Power and Optional Internal RF







Optional
12V DC Power

CONFIGURATION OPTIONS

Optional External RF





FILTERSMART POWER SUPPLY CONFIGURATIONS

North America

	Power		Network Options		
Part No.	**115 / 230V AC**	**24V DC**	**Wired**	**Internal RF**	**External RF ***
00-1804	•		•		
00-1992	•			•	
00-1993	•				•
00-1826		•	•		
00-1994		•		•	
00-1995		•			•

* Cable length between enclosures must be specified.

Europe

	Power		Network Options		
Part No.	**115 / 230V AC**	**24V DC**	**Wired**	**Internal RF**	**External RF ***
00-1804	•		•		
00-2089	•			•	
00-2090	•				•
00-1826		•	•		
00-2091		•		•	
00-2092		•			•

* Cable length between enclosures must be specified.

INTENTIONAL BLANK PAGE

INTENTIONAL BLANK PAGE

SMART WATER IS *BADGER METER*

Trademarks appearing in this document are the property of their respective entities. Due to continuous research, product improvements and enhancements, Badger Meter reserves the right to change product or system specifications without notice, except to the extent an outstanding contractual obligation exists. © 2024 Badger Meter, Inc. All rights reserved.

www.badgermeter.com